



10-2-02

1553

#8/IDS
AP 10/29/02

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Ogas et al.

: Group Art Unit: 1653

Serial No. 10/049,137

: Examiner: Not yet assigned

I.A. Filed: August 18, 2000

For: METHODS AND COMPOSITIONS FOR
REGULATING DEVELOPMENTAL IDENTITY

RECEIVED

OCT 05 2002

TECH CENTER 1600/2900

INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents
Washington, D.C.

Sir:

The Examiner is requested to consider the enclosed references which may qualify as prior art. For the Examiner's convenience, the references are listed on the attached Patent and Trademark Office form PTO-1449. Where the publication month is not included, the year of publication for the reference is sufficiently early that the particular month of publication is not an issue.

This information is cited in a spirit of forthrightness and cooperation to enable the applicants to obtain that measure of protection for the invention to which there is entitlement. However, no representation is made that the listed art actually qualifies as prior art under the patent statute and the mere use of PTO-1449 is not an admission that all listed references are prior art. No representation is made that applicants know of the best art.

It is believed this submission does not require the payment of a fee. if this is not correct, please charge any required fee to deposit account No. 07-1969.

Respectfully submitted,

Donna M. Ferber

Reg. No. 33,878

GREENLEE, WINNER AND SULLIVAN, P.C.
5370 Manhattan Circle, Suite 201
Boulder, CO 80303
Telephone (303) 499-8080
Facsimile: (303) 499-8089
Email: winner@greenwin.com

Attorney Docket No.: 85-02
bmk: September 30, 2002

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as EXPRESS MAIL in an envelope addressed to the Commissioner for Patents, Washington, D.C., 20231

30 September 2002 B. Kroge
Date B. Kroge
Express Mail Receipt No. EV 182 438 561 US



RECEIVED

OCT 05 2002

TECH CENTER 1600/2900

Form PTO-1449		
ATTY DOCKET NO. 85-02	SERIAL NO. 10/049,137	FILING DATE June 3, 2002
APPLICANT Ogas and Somerville		GROUP 1653

U.S. PATENT DOCUMENTS

Exmr. Initial	Document Number	Date	Name	Class	Subclass	Filing Date if Appropriate

FOREIGN PATENT DOCUMENTS

Document Number	Date	Country	Class	Subclass	Translation Yes/No

OTHER PRIOR ART (including Author, Title, Date, Pertinent Pages, etc.)

		Alonso-Blanco, C. et al., "Development of an AFLP based linkage map of Ler, Col and Cvi Arabidopsis thaliana ecotypes and construction of a Ler/Cvi recombinant inbred line population," (Apr. 1998) <i>The Plant Journal</i> 14(2): 259-271
		Blázquez, M.A. et al., "LEAFY expression and flower initiation in Arabidopsis," (1997) <i>Development</i> 124: 3835-3844
		Blázquez, M.A. et al., "Gibberellins promote flowering of Arabidopsis by activating the LEAFY promoter," (May 1998) <i>The Plant Cell</i> 10: 791-800
		Bruggemann, E. et al., "Analysis of fast neutron-generated mutants at the Arabidopsis thaliana HY4 locus," (1996) <i>The Plant Journal</i> 10: 755-760
		Cowell, I.G. and Austin, C.A., "Self-association of chromo domain peptides," (1997) <i>Biochimica et Biophysica Acta</i> 1337: 198-206
		Delmas, V. et al., "A mammalian DNA-binding protein that contains a chromodomain and an SNF2/SWI2-like helicase domain," (March 1993) <i>Proc. Natl. Acad. Sci.</i> 90: 2414-2418
		Eisen, J.A. et al., "Evolution of the SNF2 family of proteins: subfamilies with distinct sequences and functions," (1995) <i>Nucleic Acids Research</i> 23(14): 2715-2723
		Finkelstein, R.R. and Zeevaert, J.A.D., "Gibberellin and abscisic acid biosynthesis and response," (1994) <i>Arabidopsis</i> E.M. Meyerowitz and C.R. Somerville, Cold Spring Harbor Laboratory Press: 523-553
		Goldberg, R.B. et al., "Plant embryogenesis: Zygote to seed," (Oct. 1994) <i>Science</i> 266: 605-614
		Grunstein, M., "Histone acetylation in chromatin structure and transcription," (Sept. 1997) <i>Nature</i> 389: 349-352



Sheet 2 of 4

RECEIVED

Form PTO-1449		
ATTY DOCKET NO. 85-02	SERIAL NO. 10/049,137	FILING DATE June 3, 2002
APPLICANT Ogas and Somerville		GROUP 1653

TECH CENTER 1600/2900

		Hirschhorn, J.N. et al., "Evidence that SNF2/SWI2 and SNF5 activate transcription in yeast by altering chromatin structure," (1992) <i>Genes & Development</i> 6: 2288-2298
		Hooley, R., "Gibberellins: perception, transduction and responses," (1994) <i>Plant Molecular Biology</i> 26: 1529-1555
		Huttly, A.K. and Phillips, A.L., "Gibberellin-regulated plant genes," (1995) <i>Physiologia Plantarum</i> 95: 310-317
		Jin, Y.H. et al., "Isolation and characterization of hrp1 ⁺ , a new member of the SNF2/SWI2 gene family from the fission yeast <i>Schizosaccharomyces pombe</i> ," (Feb. 1998) <i>Mol. Gen. Genet.</i> 257: 319-329
		Kehle, J. et al., "dMi-2, a hunchback-interacting protein that functions in polycomb repression," (Dec. 1998) <i>Science</i> 282: 1897-1900
		Khavari, P.A. et al., "BRG1 contains a conserved domain of the SWI2/SNF2 family necessary for normal mitotic growth and transcription," (Nov. 1993) <i>Nature</i> 366: 170-174
		Koonin, E.V. et al., "The chromo superfamily: new members, duplication of the chromo domain and possible role in delivering transcription regulators to chromatin," (1995) <i>Nucleic Acids Research</i> 23: 4229-4233
		Koornneef, M. et al., "A gibberellin insensitive mutant of <i>Arabidopsis thaliana</i> ," (1985) <i>Physiol. Plant</i> 65: 33-39
		Koornneef, M. et al., "The isolation of abscisic acid (ABA) deficient mutants by selection of induced revertants in non-germinating gibberellin sensitive lines of <i>Arabidopsis thaliana</i> (L.) Heynh," (1982) <i>Theor. Appl. Genet.</i> 61: 385-393
		Kruger, W. et al., "Amino acid substitutions in the structured domains of histones H3 and H4 partially relieve the requirement of the yeast SWI/SNF complex for transcription," (1995) <i>Genes & Development</i> 9: 2770-2779
		Kwon, H. et al., "Nucleosome disruption and enhancement of activator binding by a human SWI/SNF complex," (Aug. 1994) <i>Nature</i> 370: 477-481
		Logie, C. and Peterson, C.L., "Catalytic activity of the yeast SWI/SNF complex on reconstituted nucleosome arrays," (1997) <i>The EMBO Journal</i> 16: 6772-6782
		Lotan, T. et al., "Arabidopsis LEAFY COTYLEDON1 is sufficient to induce embryo development in vegetative cells," (June 1998) <i>Cell</i> 93: 1195-1205
		McCarty, D.R., "Genetic control and integration of maturation and germination pathways in seed development," (1995) <i>Annu. Rev. Plant Physiol. Plant Mol. Biol.</i> 46: 71-93
		Meinke, D.W., "A homeotic mutant of <i>Arabidopsis thaliana</i> with leafy cotyledons," (Dec. 1992) <i>Science</i> 258: 1647-1650
		Meinke, D.W. et al., "Leafy cotyledon mutants of <i>arabidopsis</i> ," (Aug. 1994) <i>The Plant Cell</i> 6: 1049-1064
		Ogas, J. et al., "Cellular differentiation regulated by gibberellin in the <i>Arabidopsis thaliana</i> pickle mutant," (July 1997) <i>Science</i> 277: 91-94
		Ogas, J. et al., "PICKLE is a CHD3 chromatin-remodeling factor that regulates the transition from embryonic to vegetative development in <i>Arabidopsis</i> ," (Nov. 1999) <i>Proc. Natl. Acad. Sci.</i> 96: 13839-13844



Form PTO-1449		
ATTY DOCKET NO. 85-02	SERIAL NO. 10/049,137	FILING DATE June 3, 2002
APPLICANT Ogas and Somerville		GROUP 1653

RECEIVED

OCT 03 2002

TECH CENTER 1600/2900

		Parcy, F. et al., "The ABSCISIC ACID-INSENSITIVE3, FUCA3, and LEAFY COTYLEDON1 loci act in concert to control multiple aspects of Arabidopsis seed development," (Aug. 1997) <i>The Plant Cell</i> 9: 1265-1277
		Peng, J. and Harberd, N.P., "Derivative alleles of the Arabidopsis Gibberellin-insensitive (gai) mutation confer a wild-type phenotype," (March 1993) <i>The Plant Cell</i> 5: 351-360
		Prelich, G. and Winston, F., "Mutations that suppress the deletion of an upstream activating sequence in yeast: Involvement of a protein kinase and histone H3 in repressing transcription in vivo," (Nov. 1993) <i>Genetics</i> 135: 665-676
		Ritchie, S. and Gilroy, S., "Tansley review no. 100 Gibberellins: regulating genes and germination," (Nov. 1998) <i>New Phytol.</i> 140: 363-383
		Roesler, K.R. et al., "Structure and expression of an Arabidopsis acetyl-coenzyme A carboxylase gene," (1994) <i>Plant Physiol.</i> 105: 611-617
		Stokes, D.G. et al., "CHD1 is concentrated in interbands and puffed regions of Drosophila polytene chromosomes," (July 1996) <i>Proc. Natl. Acad. Sci.</i> 93: 7137-7142
		Struhl, K., "Histone acetylation and transcriptional regulatory mechanisms," (Mar. 1998) <i>Genes and Development</i> 12: 599-606
		Swain, S.M. and Olszewski, N.E., "Genetic analysis of gibberellin signal transduction," (1996) <i>Plant Physiol.</i> 112: 11-17
		Talon, M., et al., "Accumulation of C ₁₉ -gibberellins in the gibberellin-insensitive dwarf mutant gai of Arabidopsis thaliana (L.) Heynh," (1990) <i>Planta</i> 182: 501-505
		Tong, J.K. et al., "Chromatin deacetylation by an ATP-dependent nucleosome remodeling complex," (Oct. 1998) <i>Nature</i> 395: 917-921
		Turner, B.M., "Histone acetylation and control of gene expression," (1991) <i>Journal of Cell Science</i> 99: 13-20
		Wang, M.L., et al., "Construction of an ≈2 Mb contig in the region around 80 cM of Arabidopsis thaliana chromosome 2," (1997) <i>The Plant Journal</i> 12(3): 711-730
		West, M.A.L. et al., "Embryogenesis in higher plants: An overview," (Oct. 1993) <i>The Plant Cell</i> 5: 1361-1369
		West, M.A.L. et al., "LEAFY COTYLEDON1 is an essential regulator of late embryogenesis and cotyledon identity in Arabidopsis," (Dec. 1994) <i>The Plant Cell</i> 6: 1731-1745
		Wilson, R.N. et al., "Gibberellin is required for flowering in Arabidopsis thaliana under short days," (1992) <i>Plant Physiol.</i> 100: 403-408
		Wilson, R.N. and Somerville, C.R., "Phenotypic suppression of the gibberellin-insensitive mutant (gai) of Arabidopsis," (1995) <i>Plant Physiol.</i> 108:495-502
		Woodage, T. et al., "Characterization of the CHD family of proteins," (Oct. 1997) <i>Proc. Natl. Acad. Sci.</i> 94: 11472-11477
		Zhang, Y. et al., "The dermatomyositis-specific autoantigen Mi2 is a component of a complex containing histone deacetylase and nucleosome remodeling activities," (Oct. 1998) <i>Cell</i> 95: 279-289
		GenBank Accession Number CAB40760 (Mar. 15, 2000) putative protein [Arabidopsis thaliana]



Sheet 4 of 4

RECEIVED

Form PTO-1449		
ATTY DOCKET NO. 85-02	SERIAL NO. 10/049,137	FILING DATE June 3, 2002
APPLICANT Ogas and Somerville		GROUP 1653

TECH CENTER 1600/2900

		GenBank Accession Number AAF13875 (Nov. 30, 1999) chromatin remodeling factor CHD3 [Arabidopsis thaliana]
		GenBank Accession Number AL031369 (Aug. 27 1999) Arabidopsis thaliana DNA chromosome 2, BAC clone F13D4 (ESSAII project)
		GenBank Accession Number AC018722 (Apr. 5, 2000) Arabidopsis thaliana chromosome II section 141 of 255 of the complete sequence. Sequence from clones F13D4, T22F11
EXAMINER		
DATE CONSIDERED		
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.		

12/20/89